

DATA UPDATE

18.12.23



NITAS  
TESSILE



เจดออปปลายด์ เล่มรวมม่านม้วน

# SHADE OF BLINDS

ROLLER BLINDS COLLECTION


   NITAS TESSILE  
[www.nitas-tessile.com](http://www.nitas-tessile.com)

# Roller Blinds System | ระบบของม่านม้วน

## No Cover Pipe



Pipe 28 mm (Black/White)



Pipe 38 mm (Black/White)

### Pipe 28 mm

รางม่าน ความกว้างมาตรฐาน 1.50 เมตร  
× สูง 1.80 เมตร

(ถ้าขนาดเกินมาตรฐาน  
กรุณาติดต่อสอบถามทางบริษัทฯ ก่อนสั่งซื้อ)

## With Cover Pipe



Pipe 28 mm (Black/White)



Pipe 38 mm (Black/White)

### Pipe 38 mm

รางม่าน ความกว้างมาตรฐาน 1.80 เมตร  
× สูง 2.20 เมตร

(ถ้าขนาดเกินมาตรฐาน  
กรุณาติดต่อสอบถามทางบริษัทฯ ก่อนสั่งซื้อ)


## Special Pipe | รางม่านม้วนแบบพิเศษ

รางขนาด 48 มิลลิเมตร และ 58 มิลลิเมตร ไม่มีรางบน,  
บังรางทั้งสองแบบสามารถทำได้ เริ่มตั้งแต่ 1 เมตรขึ้นไป



### Special Pipe 48 mm

รางกลมม่านม้วนแบบพิเศษ 48 มิลลิเมตร ไม่มีสปริงผ่อนแรง



### Special Pipe 58 mm

รางกลมม่านม้วนแบบพิเศษ 58 มิลลิเมตร พร้อมสปริงผ่อนแรง

## Roller Blinds Chain | โซ่ม่านม้วน

โซ่ม่านม้วนขนาดเส้นผ่านศูนย์กลาง 4.5 มิลลิเมตร

### PLASTIC CHAIN




RC01  
White



RC22  
Black

### METAL CHAIN



RC23  
Stainless

## Bottom Rail | รางถ่วงชายล่าง

รางถ่วงชายล่างมีให้เลือก 2 แบบ 2 สี



White Square  
Bottom Rail



Black Square  
Bottom Rail



White Round  
Bottom Rail



Black Round  
Bottom Rail

# Spring System | ระบบสปริงพ่อนแรง ม่านม้วน

| รายละเอียด | รุ่น T CLASS                         | รุ่น N CLASS        |                                                                                         |
|------------|--------------------------------------|---------------------|-----------------------------------------------------------------------------------------|
|            | ชุดสปริงพ่อนแรง                      |                     | ชุดสปริงล็อก<br>กึ่งอัตโนมัติ                                                           |
| การทดแรง   | ใช้ทดแรงขึ้น และลงของ<br>ชุดม่านม้วน |                     | ใช้งานโดยการดึงลง และดึงเก็บ<br>ใบม่าน<br>ด้วยการกระตุกลงเบาๆ ม่านม้วน<br>จะเก็บขึ้นเอง |
| ความสูง    | มากกว่า<br>4.5-5.0 เมตร              | 3.0-5.0 เมตร        | ไม่เกิน<br>1.8 เมตร                                                                     |
| ความกว้าง  | ไม่เกิน<br>3 เมตร                    | ไม่เกิน<br>2.5 เมตร | 1.0 - 1.8 เมตร                                                                          |
| รางบน      | มีรางบน                              | ไม่มีรางบน          |                                                                                         |

หมายเหตุ หากขนาดเกินจากนี้ กรุณาติดต่อสอบถามทางบริษัท


# Guild Rail | ระบบรางข้างกันแสง

## คุณสมบัติพิเศษของม่านม้วนระบบรางข้าง


ใช้ประกอบด้านข้างซ้ายขวาของตัวม่านเพื่อเพิ่มความสวยงามเรียบร้อยให้กับม่านม้วน และยังช่วยเก็บแสงที่จะลอดเข้ามาจากด้านข้างของม่านม้วน เพิ่มความเป็นส่วนตัวและเก็บแสงได้มิดชิดยิ่งขึ้น อีกทั้งยังช่วยเก็บเสียงกระทบที่เกิดจากรางล่างม่านม้วนแกว่งตัวได้อีกด้วย ประกอบด้วย

- 1.รางข้าง ซ้าย/ขวา มีสีขาวและดำ
- 2.เส้นสักรัดพิเศษเพื่อเก็บเสียงและเพิ่มความถี่ในการใช้งานม่านม้วน
- 3.รางถ่วงชายผ้าแบบเหลี่ยมพิเศษ มีสีขาวและดำ

## GUILD RAIL



Black



White

## BOTTOM RAIL

ผ้าสักรัดป้องกันการเสียดสี  
ขณะม่านม้วนเลื่อนขึ้นลง



Black





White

# Motor System | ระบบมอเตอร์

## NT45

- มอเตอร์ม้วนม้วนที่ตีดีที่สุด มาตรฐานของ Nitas Tessile
- รับน้ำหนักสูงสุดได้ถึง 65 กิโลกรัม
- รับประกันมอเตอร์นานสูงสุดถึง 5 ปี



## Motor Detail | รายละเอียดมอเตอร์

|             |                   |                    |
|-------------|-------------------|--------------------|
| รุ่น        | รับน้ำหนักสูงสุด  | 121 W              |
| แรงบิด      | <b>NT45R-6/28</b> | 20 kg              |
| ความเร็ว    | 6 Nm              | <b>NT45E-20/26</b> |
| แรงดันไฟฟ้า | 28 rpm            | 20 Nm              |
| ความถี่     | 230 V             | 26 rpm             |
| กำลังไฟฟ้า  | 50 Hz             | 230 V              |

หมายเหตุ: ขาจับมอเตอร์รุ่นพิเศษระยะห่างระหว่างมอเตอร์เพียง 3.5 ซม. เท่านั้น

### ระบบการควบคุม



รีโมทไร้สาย  
15 ช่องสัญญาณ




สวิตช์ติดผนัง  
15 ช่องสัญญาณ

หมายเหตุ: ใช้รีซีฟเวอร์บัวอิน



# Motor System | ระบบมอเตอร์

somfy



WALL SWITCH  
สวิตช์ติดผนัง



1 channel 16 channel 4 channel

WIRELESS REMOTE  
รีโมทไร้สาย

## SOMFY RTS 10/32 มอเตอร์บ้านเรือนมาตรฐาน Somfy รับประกันมอเตอร์นานสูงสุดถึง 5 ปี

| รุ่น              | Somfy RTS 10/32              |
|-------------------|------------------------------|
| แรงบิด            | 10 Nm                        |
| ความเร็ว          | 32 rpm                       |
| แรงดันไฟฟ้า       | 230 V                        |
| ความถี่           | 50 Hz                        |
| กำลังไฟฟ้า        | 160 W                        |
| กระแสไฟฟ้าสูงสุด  | 0.75 A                       |
| น้ำหนัก           | 2.215 kg                     |
| การถ่ายเทความร้อน | 150°C                        |
| ระดับเสียง        | 54 dBA                       |
| มาตรฐาน           | EN 60335-2-97<br>EN 301489-3 |



# BLACKOUT | ม่านฉนวนกันแสง



## Design Code: **BB01 LONDON (J)**

Width : 200, 250, 300 cm  
Content : 100% Polyester  
Weight : 340 g/sqm ( $\pm 5\%$ )  
Thickness : 0.34 mm ( $\pm 5\%$ )  
Purpose : Blackout  
Openness : 0%  
Price : 1,200 Baht/sqyd  
Standard : UV Protection | Printable

## Design Code: **BB02 PARIS (JS)**

Width : 200, 250 cm  
Content : 100% Polyester  
Weight : 250 g/sqm ( $\pm 5\%$ )  
Thickness : 0.41 mm ( $\pm 5\%$ )  
Purpose : Blackout  
Openness : 0%  
Price : 1,200 Baht/sqyd  
Standard : UV Protection | Printable  
Silver Coated

## Design Code: **BB03 STOCKHOLM**

Width : 200, 260 cm  
Content : 100% Polyester  
Weight : 340 g/sqm ( $\pm 5\%$ )  
Thickness : 0.55 mm ( $\pm 5\%$ )  
Purpose : Blackout  
Openness : 0%  
Price : 1,200 Baht/sqyd  
Standard : UV Protection | GREENGUARD  
OEKO-TEK Standard 100

## Design Code: **BB04 MADRID (MSW)**

Width : 240 cm  
Content : 100% Polyester  
Weight : 305 g/sqm ( $\pm 5\%$ )  
Thickness : 0.32 mm ( $\pm 5\%$ )  
Purpose : Blackout  
Openness : 0%  
Price : 1,200 Baht/sqyd  
Standard : UV Protection | Anti Fungal | GREENGUARD  
OEKO-TEK Standard 100 | Silver Coated  
Waterproof

## Design Code: **BB05 ROME (JW)**

Width : 240 cm  
Content : 100% Polyester  
Weight : 310 g/sqm ( $\pm 5\%$ )  
Thickness : 0.32 mm ( $\pm 5\%$ )  
Purpose : Blackout  
Openness : 0%  
Price : 1,200 Baht/sqyd  
Standard : UV Protection | GREENGUARD  
OEKO-TEK Standard 100 | Printable  
Waterproof

## Design Code: **BB06 PRAGUE**

Width : 200, 250, 300 cm  
Content : 70% PVC, 30% Polyester  
Weight : 550 g/sqm ( $\pm 5\%$ )  
Thickness : 0.65 mm ( $\pm 5\%$ )  
Purpose : Blackout  
Openness : 0%  
Price : 1,900 Baht/sqyd  
Standard : UV Protection  
Color Fastness: 4.5 (AATCC 16)

# BLACKOUT | ม่านฉนวนกันแสง



## Design Code: **BB07 BERLIN (F)**

Width : 200, 280 cm  
Content : 100% Polyester  
Weight : 400 g/sqm (±5%)  
Thickness : 0.68 mm (±5%)  
Purpose : Blackout  
Openness : 0%  
Price : 1,200 Baht/sqyd  
Standard : UV Protection | Flame Retardant: NFPA 701  
GREENGUARD | OEKO-TEK Standard 100

## Design Code: **BB09 MOSCOW**

Width : 300 cm  
Content : 100% Polyester  
Weight : 370 g/sqm (±5%)  
Thickness : 0.55 mm (±5%)  
Purpose : Blackout  
Openness : 0%  
Price : 1,900 Baht/sqyd  
Standard : UV Protection | GREENGUARD  
OEKO-TEK Standard 100

## Design Code: **BB11 DUBLIN**

Width : 280 cm  
Content : 100% Polyester  
Weight : 375 g/sqm (±5%)  
Thickness : 0.67 mm (±5%)  
Purpose : Blackout  
Openness : 0%  
Price : 1,200 Baht/sqyd  
Standard : UV Protection

## Design Code: **BB08 ATHENS (MFJW)**

Width : 200, 254 cm  
Content : 75% PVC, 25% Fiberglass  
Weight : 500 g/sqm (±5%)  
Thickness : 0.38 mm (±5%)  
Purpose : Blackout  
Openness : 0%  
Price : 1,200 Baht/sqyd  
Standard : UV Protection | Anti Fungal: ASTM G21  
Flame Retardant: BS 5867-2 | GREENGUARD  
OEKO-TEK Standard 100 | Printable | Waterproof

## Design Code: **BB10 VIENNA (BM)**

Width : 300 cm  
Content : 100% Polyester  
Weight : 360 g/sqm (±5%)  
Thickness : 0.65 mm (±5%)  
Purpose : Blackout  
Openness : 0%  
Price : 1,900 Baht/sqyd  
Standard : UV Protection | Anti Bacterial: ASTM G22  
Anti Fungal: ASTM G21 | GREENGUARD  
OEKO-TEK Standard 100

## Design Code: **BB12 OSLO (BMF)**

Width : 300 cm  
Content : 100% Polyester  
Weight : 370 g/sqm (±5%)  
Thickness : 0.65 mm (±5%)  
Purpose : Blackout  
Openness : 0%  
Price : 1,200 Baht/sqyd  
Standard : UV Protection | Anti Bacterial: ASTM G22  
Anti Fungal: ASTM G21  
Flame Retardant: NFPA 701 | GREENGUARD

Design Code: **BB01 LONDON (J)**

Width : 200, 250, 300 cm

Content : 100% Polyester

Weight : 340 g/sqm ( $\pm 5\%$ )

Thickness : 0.34 mm ( $\pm 5\%$ )

Purpose : Blackout

Openness : 0%

Price : 1,200 Baht/sqyd

Standard : UV Protection | Printable



OEKO-TEX®  
CONFIDENCE IN TEXTILES  
STANDARD 100 

BB01-01 WHITE

BB01-05 GREEN

BB01-02 IVORY

BB01-06 DARK GREY

BB01-03 BEIGE

BB01-04 GREY

BB01-07 BLACK

Design Code : **BB02 PARIS (SJ)**

Width : 200, 250 cm

Content : 100% Polyester

Weight : 250 g/sqm( $\pm 5\%$ )

Purpose : Blackout

Openness : 0%

Features :   Printable

Price : 1,200 Baht/Sq.yd



**OEKO-TEX®**  
CONFIDENCE IN TEXTILES  
**STANDARD 100** 

BB02-01 WHITE-SILVER

BB02-05 BLACK-SILVER

BB02-02 IVORY-SILVER

BB02-06 BROWN-SILVER

BB02-03 BEIGE-SILVER

BB02-04 GREY-SILVER

BB02-07 LIGHT OAK-SILVER

Design Code: **BB03 STOCKHOLM**

Width : 200, 260 cm

Content : 100% Polyester

Weight : 340 g/sqm ( $\pm 5\%$ )

Thickness : 0.55 mm ( $\pm 5\%$ )

Purpose : Blackout

Openness : 0%

Price : 1,200 Baht/sqyd

Standard : UV Protection | GREENGUARD  
OEKO-TEK Standard 100



OEKO-TEK  
STANDARD 100

BB03-01 WHITE

BB03-02 BEIGE

BB03-03 GREY

BB03-04 BROWN

BB03-05 DARK GREY

Design Code : **BB04 MADRID (SWM)**

Width : 240 cm

Content : 100% Polyester

Weight : 305 g/sqm( $\pm 5\%$ )

Purpose : Roller Blinds Blackout

Openness : 0%

Features :     

Price : 1,200 Baht/Sq.yd



BB04-123  
STANDARD 100

BB04-01 WHITE-SILVER

BB04-02 BEIGE-SILVER

BB04-03 BLUE-SILVER

BB04-04 GREY-SILVER

Price : 1,200 Baht/5q.yd



BB05-04 BLUE

Design Code : **BB06 PRAGUE (F)**  
Width : 200, 250, 300 cm  
Content : 70% PVC, 30% Polyester  
Weight : 550 g/sqm( $\pm 5\%$ )  
Purpose : Roller Blinds Blackout  
Openness : 0%  
Features :    
Price : 1,900 Baht/Sq.yd



BB06-01 WHITE  
BB06-02 BEIGE  
BB06-03 GREY

BB06-01 WHITE

BB06-02 BEIGE

BB06-03 GREY

Design Code : **BB07 BERLIN (F)**

Width : 200, 280 cm

Content : 100% Polyester

Weight : 400 g/sqm( $\pm 5\%$ )

Purpose : Roller Blinds Blackout

Openness : 0%

Features :   

Price : 1,200 Baht/Sq.yd



DEKO-TEX®  
STANDARD 100 

BB07-01 IVORY

BB07-02 CREAM

BB07-03 KHAKI

Design Code : **BB08 ATHENS (WFMJ)**

Width : 200, 254 cm

Content : 75% PVC, 25% F

Weight : 500 g/sqm(±5%)

Purpose : Roller Blinds Blackout

Openness : 0%

Features :     Printable

Price : 1,200 Baht/Sq.yd



BB08-01 WHITE-WHITE

BB08-02 CREAM-CREAM

BB08-03 GREY-GREY

BB08-04 IVORY-IVORY

BB08-05 LINEN-LINEN

BB08-06 DARK GREY-DARK

Design Code : **BB09 MOSCOW**

Width : 300 cm

Content : 100% Polyester

Weight : 370 g/sqm( $\pm 5\%$ )

Purpose : Roller Blinds Blackout

Openness : 0%

Features : 

Price : 1,900 Baht/Sq.yd



BB09-01 WHITE

BB09-02 BEIGE

BB09-03 BROWN

BB09-04 GREY

BB09-05 DARK GREY

# SUNSCREENS | ม่านบังแดดกรองแสง



## Design Code: **S101 BANGKOK (F)**

Width : 200, 250 cm  
 Content : 73% PVC, 27% Polyester  
 Weight : 515 g/sqm (±5%)  
 Thickness : 0.71 mm (±5%)  
 Purpose : Sunscreens  
 Openness : 1%  
 Price : 2,100 Baht/sqyd  
 Standard : UV Protection | Flame Retardant: NFPA 701  
 GREENGUARD | OEKO-TEK Standard 100

## Design Code: **S301 BEIJING (F)**

Width : 200, 250, 300 cm  
 Content : 70% PVC, 30% Polyester  
 Weight : 455 g/sqm (±5%)  
 Thickness : 0.67 mm (±5%)  
 Purpose : Sunscreens  
 Openness : 3%  
 Price : 1,200 Baht/sqyd  
 Standard : UV Protection | Color Fastness: 8 (ISO 105:B04)  
 Flame Retardant: NFPA 701 | GREENGUARD  
 OEKO-TEK Standard 100

## Design Code: **S501 MANILA (F)**

Width : 200, 250, 300 cm  
 Content : 70% PVC, 30% Polyester  
 Weight : 410 g/sqm (±5%)  
 Thickness : 0.55 mm (±5%)  
 Purpose : Sunscreens  
 Openness : 5%  
 Price : 1,200 Baht/sqyd  
 Standard : UV Protection | Flame Retardant: NFPA 701  
 GREENGUARD | OEKO-TEK Standard 100

## Design Code: **S102 TOKYO (FM)**

Width : 200, 250, 300 cm  
 Content : 70% PVC, 30% Polyester  
 Weight : 470 g/sqm (±5%)  
 Thickness : 0.75 mm (±5%)  
 Purpose : Sunscreens  
 Openness : 1%  
 Price : 2,100 Baht/sqyd  
 Standard : UV Protection | Flame Retardant: NFPA 701  
 GREENGUARD | OEKO-TEK Standard 100

## Design Code: **S302 NEW DELHI (F)**

Width : 200, 250, 300 cm  
 Content : 70% PVC, 30% Polyester  
 Weight : 440 g/sqm (±5%)  
 Thickness : 0.65 mm (±5%)  
 Purpose : Sunscreens  
 Openness : 3%  
 Price : 1,900 Baht/sqyd  
 Standard : UV Protection | Flame Retardant: NFPA 701  
 GREENGUARD | OEKO-TEK Standard 100

## Design Code: **S502 HANOI (F)**

Width : 200, 250, 300 cm  
 Content : 70% PVC, 30% Polyester  
 Weight : 520 g/sqm (±5%)  
 Thickness : 0.75 mm (±5%)  
 Purpose : Sunscreens  
 Openness : 5%  
 Price : 1,200 Baht/sqyd  
 Standard : UV Protection | Color Fastness: 4.5 (AATCC 16)  
 Flame Retardant: NFPA 701 | GREENGUARD  
 OEKO-TEK Standard 100

# SUNSCREENS | ม่านบังนกรองแสง



## Design Code: **S503 JAKARTA (FS)**

Width : 200, 250, 300 cm  
 Content : 70% PVC, 30% Polyester  
 Weight : 550 g/sqm (±5%)  
 Thickness : 0.65 mm (±5%)  
 Purpose : Sunscreens  
 Openness : 5%  
 Price : 1,900 Baht/sqyd  
 Standard : UV Protection | Color Fastness: 4.5 (AATCC 16)  
 Flame Retardant: NFPA 701 | Silver Coated

## Design Code: **S505 SEOUL (F)**

Width : 200, 250, 300 cm  
 Content : 70% PVC, 30% Polyester  
 Weight : 520 g/sqm (±5%)  
 Thickness : 0.68 mm (±5%)  
 Purpose : Sunscreens  
 Openness : 5%  
 Price : 2,100 Baht/sqyd  
 Standard : UV Protection | Flame Retardant: NFPA 701  
 GREENGUARD | OEKO-TEK Standard 100

## Design Code: **S507 MALE (BMF)**

Width : 200, 300 cm  
 Content : 70% PVC, 30% Polyester  
 Weight : 409 g/sqm (±5%)  
 Thickness : 0.70 mm (±5%)  
 Purpose : Sunscreens  
 Openness : 5%  
 Price : 1,900 Baht/sqyd  
 Standard : UV Protection | Anti Bacterial: ASTM G22  
 Anti Fungal: ASTM G21  
 Flame Retardant: NFPA 701 | GREENGUARD

## : **S504 VIENTIANE (F)**

: 200, 250, 300 cm  
 : 70% PVC, 30% Polyester  
 : 428 g/sqm (±5%)  
 : 0.73 mm (±5%)  
 : Sunscreens  
 : 5%  
 : 1,200 Baht/sqyd  
 : UV Protection | Color Fastness: 4.5(AATCC 16)  
 Flame Retardant: NFPA 701 | GREENGUARD  
 OEKO-TEK Standard 100

## : **S506 YANGON (F)**

: 300 cm  
 : 66% PVC, 18% Polyester, 16% Linen  
 : 375 g/sqm (±5%)  
 : 0.55 mm (±5%)  
 : Sunscreens  
 : 5%  
 : 1,900 Baht/sqyd  
 : UV Protection | Flame Retardant: NFPA 701  
 GREENGUARD | OEKO-TEK Standard 100

## : **S508 DOHA (BMF)**

: 200, 300 cm  
 : 70% PVC, 30% Polyester  
 : 518 g/sqm (±5%)  
 : 0.66 mm (±5%)  
 : Sunscreens  
 : 5%  
 : 1,900 Baht/sqyd  
 : UV Protection | Anti Bacterial: ASTM G22  
 Anti Fungal: ASTM G21  
 Flame Retardant: NFPA 701 | GREENGUARD

Design Code : **S101 BANGKOK (F)**

Width : 200, 250 cm

Content : 73% PVC, 27% Polyester

Weight : 515 g/sqm( $\pm 5\%$ )

Purpose : Roller Blinds Sunscreens

Openness : 1%

Features :  

Price : 2,100 Baht/Sq.yd



UV 40-50%  
Flame Retardant  
100% PVC

S101-01 WHITE

S101-02 GREY

S101-03 BEIGE

Design Code : **S102 TOKYO (FM)**  
Width : 200, 250, 300 cm  
Content : 70% PVC, 30% Polyester  
Weight : 470 g/sqm(±5%)  
Purpose : Roller Blinds Sunscreens  
Openness : 1%  
Features :     
Price : 2,100 Baht/Sq.yd



100% UV PROTECTION  
FLAME RETARDANT  
ANTI FUNGAL

S102-01 WHITE-WHITE

S102-02 WHITE-BEIGE

S102-03 WHITE-GREY

S102-04 BLACK-BROWN

S102-05 BLACK-GREY

S102-06 BLACK-BLACK

Design Code : **S301 BEIJING (F)**  
Width : 200, 250, 300 cm  
Content : 70% PVC, 30% Polyester  
Weight : 455 g/sqm(±5%)  
Purpose : Roller Blinds Sunscreens  
Openness : 3%  
Features :     
Price : 1,200 Baht/Sq.yd



CEKO-TEXTIL  
STANDARD TIS-5

S301-01 WHITE

S301-02 BEIGE

S301-03 GREY

S301-04 BROWN

S301-05 BLACK

Design Code : **S302 NEW DELHI (FM)**

Width : 200, 250, 300 cm

Content : 70% PVC, 30% Polyester

Weight : 440 g/sqm(±5%)

Purpose : Roller Blinds Sunscreens

Openness : 3%

Features :   

Price : 1,900 Baht/Sq.yd



OEKO-TEX®  
CONFIDENCE IN TEXTILES  
STANDARD 100 

S302-01 WHITE-WHITE

S302-05 GREY-GREY

S302-02 WHITE-BEIGE

S302-06 BLACK-BROWN

S302-03 WHITE-GREY

S302-07 BLACK-GREY

S302-04 BEIGE-BEIGE

S302-08 BLACK-BLACK

Design Code : **S501 MANILA (FM)**

Width : 200, 250, 300 cm

Content : 70% PVC, 30% Polyester

Weight : 410 g/sqm(±5%)

Purpose : Roller Blinds Sunscreens

Openness : 5%

Features :   

Price : 1,200 Baht/Sq.yd



**OEKO-TEX®**  
CONFIDENCE IN TEXTILES  
**STANDARD 100** 

S501-01 WHITE WHITE

S501-06 BLACK GREY

S501-02 WHITE BEIGE

S501-07 BLACK BROWN

S501-03 WHITE GREY

S501-04 GREY GREY

S501-08 BLACK BLACK

Design Code : **S502 HANOI (F)**  
Width : 200, 250, 300 cm  
Content : 70% PVC, 30% Polyester  
Weight : 520 g/sqm(±5%)  
Purpose : Roller Blinds Sunscreens  
Openness : 5%  
Features :     
Price : 1,200 Baht/Sq.yd



DEKO-TEX®  
STANDARD 100

S5-02 01 WHITE

S5-02 05 BLACK-WHITE

S5-02 02 WHITE-BEIGE

S5-02 06 BLACK-GREY

S5-02 03 WHITE-GREY

S5-02 07 BLACK-BROWN

S5-02 04 GREY-GREY

S5-02 08 BLACK

Design Code : **S503 JAKARTA (SF)**

Width : 200, 250, 300 cm

Content : 70% PVC, 30% Polyester

Weight : 550 g/sqm(±5%)

Purpose : Roller Blinds Screens

Openness : 5%

Features :  

Price : 1,900 Baht/Sq.yd



**S503-01 WHITE-SILVER**

**S503-02 BEIGE-SILVER**

**S503-03 GREY-SILVER**

Design Code : **S504 VIENTIANE (F)**

Width : 200, 250, 300 cm

Content : 70% PVC, 30% Polyester

Weight : 428 g/sqm(±5%)

Purpose : Roller Blinds Sunscreens

Openness : 5%

Features :  

Price : 1,200 Baht/Sq.yd



S504-01 BEIGE

S504-05 BLUE

S504-02 LIGHT GREY

S504-06 BROWN

S504-03 GREY

S504-04 DARK GREY

S504-07 KHAKI

Design Code : **S505 SEOUL (F)**  
Width : 200, 250, 300 cm  
Content : 70% PVC, 30% Polyester  
Weight : 428 g/sqm(±5%)  
Purpose : Roller Blinds Screens  
Openness : 5%  
Features :    
Price : 2,100 Baht/Sq.yd



S505-01 WHITE

S505-02 LIGHT GREY

S505-03 GREY

S505-04 BROWN

S505-05 BLACK

บริษัท นิตาส เทกซ์ไทล์ จำกัด

NITAS  
TESSILE

   NitasTessile

[www.nitas-tessile.com](http://www.nitas-tessile.com)