

DATA UPDATE


04.02.26



พิเชซ่า เสนอรวมผ้าบุกลางแจ้ง สะท้อนน้ำ

PIAZZA

WATER REPELLENT OUTDOOR COLLECTION



PIAZZA

   NITAS TESSILE
www.nitas-tessile.com

PIAZZA COLLECTION: SOLUTION DYED OLEFIN



30100 MODELLO

Design Code : **30100 MODELLO**
 Width : 54 Inch/137 cm
 Content : 100% Olefin
 Weight : 333 g/sqm
 Repeat Size : -
 Purpose : Outdoor RUB TEST: 28,000
 Care : |
 Price : 1,290 Baht/Yard



30099 PIAZZA

Design Code : **30099 PIAZZA**
 Width : 55 Inch/140 cm
 Content : 100% Olefin
 Weight : 469 g/sqm
 Repeat Size : -
 Purpose : Outdoor RUB TEST: 64,000
 Care : |
 Price : 1,290 Baht/Yard



30098 OMBRELLO

Design Code : **30098 OMBRELLO**
 Width : 61 Inch/155 cm
 Content : 100% Olefin
 Weight : 300 gsm | RUB TEST: 62,000
 Standard : FR: EN ISO 1021-1, ANTI-BAC: JIS L 1902
 Purpose : Outdoor Beach Parasol
 Care : |
 Price : 1,290 Baht/Yard



30097 WINDMILL

Design Code : **30097 WINDMILL**
 Width : 55 Inch/140 cm
 Content : 100% Olefin
 Weight : 306 g/sqm
 Repeat Size : 1.25x1.25 cm
 Purpose : Outdoor RUB TEST: 20,500
 Care : |
 Price : 1,290 Baht/Yard



30071 GALATA

Design Code : **30071 GALATA**
 Width : 55 Inch/140 cm
 Content : 100% Olefin
 Weight : 234 g/sqm
 Standard : FR: NFPA 260, ANTI-BAC: JIS L 1902
 Purpose : Outdoor RUB TEST: 20,000
 Care : |
 Price : 890 Baht/Yard

PIAZZA COLLECTION: SOLUTION DYED OLEFIN



30072 TOPKAPI

Design Code : **30072 TOPKAPI**
Width : 55 Inch/140 cm
Content : 100% Olefin
Weight : 343 g/sqm
Standard : FR: NFPA 260, ANTI-BAC: JIS L 1902
Purpose : Outdoor RUB TEST: 50,000
Care : | EU
Price : 1,190 Baht/Yard



30073 BOSPHORUS

Design Code : **30073 BOSPHORUS**
Width : 55 Inch/140 cm
Content : 100% Olefin
Weight : 200 g/sqm, Repeat: 12X0 cm
Standard : FR: NFPA 260, ANTI-BAC: JIS L 1902
Purpose : Outdoor RUB TEST: 50,500
Care : | EU
Price : 890 Baht/Yard

SOLUTION DYED OLEFIN + MEMBRANE BACKING



30035 CRUISES

Design Code : **30035 CRUISES**
Width : 55 Inch/140 cm
Content : 100% Olefin
Weight : 367 g/sqm
Standard : FR: NFPA 260, ANTI-BAC: JIS L 1902
Purpose : Outdoor RUB TEST: 20,000
Care : | EU
Price : 1,190 Baht/Yard

100% ACRYLIC FIBER DYED



90046 ON THE BEACH

Design Code : **90046 ON THE BEACH**
Width : 118 inch/300 cm
Content : 100% Acrylic Fiber Dyed
Weight : 130 g/sqm
Repeat Size : -
Purpose : Sheer Outdoor
Care : | EU
Price : 1,390 Baht/Yard

PIAZZA COLLECTION: SOLUTION DYED POLYESTER + TPU BACKING



30087 LAKE COMO

Design Code : **30087 LAKE COMO**
 Width : 59 Inch/150 cm, TPU Backing
 Content : 100% Solution Dyed Polyester
 Weight : 260 g/sqm
 Standard : FR: BS EN 1021-1, CA TB 117
 Purpose : Outdoor RUB TEST: 100,000
 Care : |
 Price : 590 Baht/Yard



30088 LENNO

Design Code : **30088 LENNO**
 Width : 59 Inch/150 cm, TPU Backing
 Content : 100% Solution Dyed Polyester
 Weight : 230 g/sqm
 Standard : FR: BS EN 1021-1, CA TB 117
 Purpose : Outdoor RUB TEST: 100,000
 Care : |
 Price : 590 Baht/Yard



30089 VARENNA

Design Code : **30089 VARENNA**
 Width : 59 Inch/150 cm, TPU Backing
 Content : 100% Solution Dyed Polyester
 Weight : 250 g/sqm
 Standard : FR: BS EN 1021-1, CA TB 117
 Purpose : Outdoor RUB TEST: 100,000
 Care : |
 Price : 590 Baht/Yard



30090 BELLAGIO

Design Code : **30090 BELLAGIO**
 Width : 59 Inch/150 cm, TPU Backing
 Content : 100% Solution Dyed Polyester
 Weight : 240 g/sqm
 Standard : FR: BS EN 1021-1, CA TB 117
 Purpose : Outdoor RUB TEST: 100,000
 Care : |
 Price : 590 Baht/Yard



30091 LOMBARDY

Design Code : **30091 LOMBARDY**
 Width : 55 Inch/140 cm, TPU Backing
 Content : 100% Solution Dyed Polyester
 Weight : 260 g/sqm, Repeat: 0x20 cm
 Standard : FR: BS EN 1021-1, CA TB 117
 Purpose : Outdoor RUB TEST: 100,000
 Care : |
 Price : 890 Baht/Yard



OUTDOOR Fabrics
OLEFIN
100% Solution Dyed

**30070 ISTANBUL, 30071 GALATA,
30072 TOPKAPI, 30073 BOSPHORUS**

ABRASION & PILLING RESISTANCE

- Abrasion Resistance (EN ISO 12947-2:1998)

30070 ISTANBUL	18,000 cycles
30071 GALATA	20,000 cycles
30072 TOPKAPI	50,000 cycles
30073 BOSPHORUS	50,500 cycles
- Pilling Resistance (Martindale)
EN ISO 12945-2:2000 4 (max 5)

COLOUR FASTNESS

- Light (BS EN 105-B02:1994) 7/8 (max 8)
- Rubbing (BS EN 105-X12:2001)

Dry 4-5 (max 5)
Wet 4-5 (max 5)
- UV (ASTM G154) 4/5 (max 5)

WATER REPELLENCY

- Spray Test (BS EN ISO 4920) 4/5 (max 5)

FUNCTIONAL PROPERTIES

- Anti-Bacterial (JIS L 1902) Reduction 99% Effective

FLAMMABILITY

- NFPA 260 PASS
- CAL 117 PASS



Design Code : **30100 MODELLO**









Width : 54 Inch/137 cm

Content : 100% Olefin

Weight : 333 g/sqm

Repeat Size : -

Purpose : Outdoor RUB TEST: 28,000

Care :      |   

Price : 1,290 Baht/Yard



30100-101 LIGHT BROWN

30100-102 RED BROWN

30100-106 GREEN

30100-103 ORANGE

30100-107 BROWN

30100-104 BLUE

30100-108 BLACK

30100-105 TURQUOISE

30100-109 BLUE YELLOW

Design Code : **30099 PIAZZA**









Width : 55 Inch/140 cm

Content : 100% Olefin

Weight : 469 g/sqm

Repeat Size : -

Purpose : Outdoor RUB TEST: 64,000

Care :      |   

Price : 1,290 Baht/Yard



STANDARD
100

30099-101 LIGHT BROWN

30099-105 TURQUOISE

30099-102 RED BROWN

30099-106 GREEN

30099-103 ORANGE

30099-107 BROWN

30099-104 BLUE

30099-108 BLACK

Design Code : **30097 WINDMILL**










Width : 55 Inch/140 cm

Content : 100% Olefin

Weight : 306 g/sqm

Repeat Size : 1.25x1.25 cm

Purpose : Outdoor RUB TEST: 20,500

Care :         

Price : 1,290 Baht/Yard



OEKO-TEX®
CONFIDENCE IN TEXTILES
STANDARD 100

30097-101 WHITE-BLACK

30097-102 WHITE-BLUE

30097-103 LIGHT BLUE-BLUE

30097-104 ORANGE-BLUE

Design Code : **30071 GALATA**

Width : 55 Inch/140 cm

Content : 100% Olefin

Weight : 234 g/sqm

Standard : FR: NFPA 260, ANTI-BACTERIAL: JIS L 1902

Purpose : Outdoor RUB TEST: 20,000

Care :     |     

Price : 890 Baht/Yard



OEKO-TEX®
CONFIDENCE IN TEXTILES
STANDARD 100 

30071-101 LIGHT GREY

30071-105 BLUE

30071-102 CREAM

30071-106 DARK BLUE

30071-103 BROWN

30071-107 GREY

30071-104 RED

30071-108 BLACK

Design Code : **30072 TOPKAPI**












Width : 55 Inch/140 cm

Content : 100% Olefin

Weight : 343 g/sqm

Standard : FR: NFPA 260, ANTI-BACTERIAL: JIS L 1902

Purpose : Outdoor RUB TEST: 50,000

Care :      |      

Price : 1,190 Baht/Yard



OEKO-TEX®
CONFIDENCE IN TEXTILES
STANDARD 100 

30072-101 LIGHT GREY

30072-105 LIGHT BLUE

30072-102 CREAM

30072-106 DARK BLUE

30072-103 ORANGE

30072-107 GREY

30072-104 RED

30072-108 BLACK

Design Code : **30073 BOSPHORUS**

Width : 55 Inch/140 cm

Content : 100% Olefin

Weight : 200 g/sqm, Repeat: 12X0 cm

Standard : FR: NFPA 260, ANTI-BACTERIAL: JIS L 1902

Purpose : Outdoor RUB TEST: 50,500

Care :     |     

Price : 890 Baht/Yard



OEKO-TEX®
CONFIDENCE IN TEXTILES
STANDARD 100 

30073-101 BEIGE

30073-104 DARK GREEN

30073-102 RED

30073-105 GREY

30073-103 DARK BLUE

30073-106 BLACK



OUTDOOR Fabrics

POLYESTER

100% Solution Dyed
With TPU Backing

**30087 LAKE COMO, 30088 LENNO,
30089 VARENNA, 30090 BELLAGIO,
30091 LOMBARDY**

ABRASION RESISTANCE

- Abrasion Resistance (ASTM D4157) 100,000 double rubs

COLOUR FASTNESS

- Light (AATCC 16-3:2014, Xenon-Arc Lamp, 1500h) 4 (max 8)
- Light (BS EN 105-B02) 7/8 (max 8)
- Artificial Weathering (BS EN ISO 105-B04) 7/8 (max 8)
- Rubbing (BS EN 105-X12) Dry 4-5 (max 5)
Wet 4-5 (max 5)
- Water (BS EN ISO 105-E01) 4/5 (max 5)
- Chlorinated Water (Pool) (BS EN ISO 105-E03) 4/5 (max 5)

WATER REPELLENCY

- Spray Test (AATCC 22-2005) 90

UV PROTECTION

- UV Transmission / UPF (AATCC 183-2014) UPF 50+

FLAMMABILITY

- BS EN 1021-1) PASS
- CA TB 117) PASS
- NFPA 260A PASS
- UFAC Class 1) PASS



Design Code : **30087 LAKE COMO**










Width : 59 Inch/150 cm, TPU Backing

Content : 100% Solution Dyed Polyester

Weight : 260 g/sqm

Standard : FR: BS EN 1021-1, CA TB 117

Purpose : Outdoor RUB TEST: 100,000

Care :      |    

Price : 590 Baht/Yard



30087-101 WHITE

30087-106 YELLOW

30087-112 BLUE SKY

30087-102 LIGHT BEIGE

30087-107 ORANGE

30087-113 BLUE

30087-103 CREAM

30087-108 RED

30087-114 DARK BLUE

30087-104 BEIGE

30087-109 LIGHT GREEN

30087-115 LIGHT GREY

30087-110 DARK GREEN

30087-116 GREY

30087-105 KHAKE

30087-111 BLUE GREEN

30087-117 BLACK

Design Code : **30088 LENNO**










Width : 59 Inch/150 cm, TPU Backing

Content : 100% Solution Dyed Polyester

Weight : 230 g/sqm

Standard : FR: BS EN 1021-1, CA TB 117

Purpose : Outdoor RUB TEST: 100,000

Care :      |    

Price : 590 Baht/Yard



STANDARD
100

30088-101 CREAM

30088-102 BEIGE

Design Code : **30089 VARENNA**










Width : 59 Inch/150 cm, TPU Backing

Content : 100% Solution Dyed Polyester

Weight : 250 g/sqm

Standard : FR: BS EN 1021-1, CA TB 117

Purpose : Outdoor RUB TEST: 100,000

Care :      |    










Price : 590 Baht/Yard



STANDARD
100

30089-101 BLUE

30089-102 GREY

Design Code : **30090 BELLAGIO**
Width : 59 Inch/150 cm, TPU Backing
Content : 100% Solution Dyed Polyester
Weight : 240 g/sqm
Standard : FR: BS EN 1021-1, CA TB 117
Purpose : Outdoor RUB TEST: 100,000
Care :      |    
Price : 590 Baht/Yard



STANDARD
100

30090-101 BROWN

30090-102 GREY

Design Code : **30091 LOMBARDY**










Width : 55 Inch/140 cm, TPU Backing

Content : 100% Solution Dyed Polyester

Weight : 260 g/sqm, Repeat: 0x20 cm

Standard : FR: BS EN 1021-1, CA TB 117

Purpose : Outdoor RUB TEST: 100,000

Care :      |    

Price : 890 Baht/Yard



STANDARD
100

30091-101 BROWN

30091-102 YELLOW GREEN

30091-103 BLUE GREEN

30091-104 BLUE GREY



OUTDOOR Fabrics
OLEFIN
100% Solution Dyed
With Membrane Backing

30035 CRUISES

ABRASION & PILLING RESISTANCE

- Abrasion Resistance (EN ISO 12947-2:1998) 20,000 cycles
- Pilling Resistance 4 (max 5)

COLOUR FASTNESS

- Light (BS EN 105-B02:1994) 7/8 (max 8)
- Rubbing (BS EN 105-X12:2001) 4/5 (max 5)
- UV (ASTM G154) 4/5 (max 5)

WATER REPELLENCY

- Spray Test (BS EN ISO 4920) 4/5 (max 5)

FUNCTIONAL PROPERTIES

- Anti-Bacterial (JIS L 1902) Reduction 99% Effective

FLAMMABILITY

- NFPA 260) PASS
- CAL 117) PASS
- BS 5852 Source 0) PASS
- EN ISO 1021-1) PASS



Design Code : **30035 CRUISES**

Width : 55 Inch/140 cm

Content : 100% OLEFIN

Weight : 367 g/sqm

Standard : FR: NFPA 260, ANTI-BACTERIAL:JIS L 1902

Purpose : Outdoor RUB TEST: 20,000

Care :      |       EU

Price : 1,190 Baht/Yard



OEKO-TEX®
CONFIDENCE IN TEXTILES
STANDARD 100 

30035-101 LINEN

30035-105 GRAPHITE

30035-102 STONE

30035-106 NIGHT

30035-103 BROWN

30035-107 BLUE

30035-104 LIGHT GREY

30035-108 RED

30098 OMBRELLO

Beach parasol fabric with water-repellent coating

ABRASION & PILLING RESISTANCE

- ABRASION RESISTANCE (EN ISO 12947-2:1998) 62,000 cycles
- PILLING RESISTANCE (EN ISO 12945-2:2000) 4 (max 5)

COLOUR FASTNESS

- Light (BS EN ISO 105-B02:1994) 7-8 (max 8)
- Rubbing (BS EN ISO 105-X12:2001) 4-5 (max 5)
- Weathering (BS EN ISO 105-B04) 6-7-8 (max 8)
- UV (ASTM G-154, 1,200 hours) 4/5 (max 5)
- Sea Water (BS EN ISO 105-E02) 4/5 (max 5)
- Pool Water (BS EN ISO 105-E03) 4/5 (max 5)
- Washing (BS EN ISO 105-C06, 40 °C) 4/5 (max 5)

WATER & OIL REPELLENCY

- Water Repellency (AATCC 22) ≥ 80
- Spray Test (ISO 4920:2012) 4/5 (max 5)
- Oil Repellency (ISO EN 14419) 3 (max 8)

FUNCTIONAL PROPERTIES

- Anti-Bacterial (JIS L 1902) Reduction ≥ 99% Effective

FLAMMABILITY

- NFPA 260, CAL 117, BS 5852 Source 0, EN ISO 1021 Part-1 **PASS**



Oil & Water-repellent

ISO EN 14419 & AATCC 22, ISO 4920



Anti Bacterial

JIS L 1902



Flame retardant

NFPA 260, CAL 117, BS 5852 Source 0
EN ISO 1021 Part-1



Color Fastness to UV

ASTM G-154 (1200 hours)



Design Code : **30098 OMBRELLO**








Width : 61 Inch/155 cm

Content : 100% Olefin

Weight : 300 gsm | RUB TEST: 62,000

Standard : FR: EN ISO 1021-1, ANTI-BAC: JIS L 1902

Purpose : Outdoor Beach Parasol

Care :  |      

Price : 1,290 Baht/Yard



30098-101 CREAM

30098-102 BEIGE

30098-103 BROWN

30098-104 TAN

SHEER OUTDOOR Fabrics

Acrylic

100%
Fiber
Dyed

90046 ON THE BEACH

FABRIC WIDTH 300 cm

WEIGHT 130 g/sqm

COLOUR FASTNESS

- Light (ISO 105-B02 Artif. Weathering) 6-8 (max 8)
(depending on colour)
- Washing (ISO 105-C06:2010) 5 (max 5)
- Bleaching (UNE-EN 20105-N01:1996) 5 (max 5)
- Sea Water (BS EN ISO 105-E02) 4-5 (max 5)
- Chlorinated Water
20 mg/l (BS EN ISO 105-E03) 4-5 (max 5)
- Dry Cleaning (ISO 105-D01:2010) 4-5 (max 5)

DIMENSIONAL STABILITY IN WASHING & DRYING

- ISO 6339:2000, ISO 5077:2007, ISO 3759:2007
WARP: -0.5%
WEFT: 2.0%

ULTRA VIOLET TRANSMISSION / UPF

- AS/NZS 4399:1996 UV20 (Standard 8)



Design Code : **90046 ON THE BEACH**









Width : 118 inch/300 cm

Content : 100% Acrylic Fiber Dyed

Weight : 130 g/sqm

Repeat Size : -

Purpose : Sheer Outdoor

Care :      |   

Price : 1,390 Baht/Yard



OEKO-TEX®
certified product
STANDARD 100 

90046-101 WHITE

90046-102 BEIGE

90046-103 LIGHT GREY

90046-104 GREY



ผ้าคุณภาพระดับ สามารถใช้
ภายนอกอาคารได้



เนื้อผ้ามีคุณสมบัติคงทนต่อ
แสงยูวีได้มากกว่า
ผ้าบุเฟอร์นิเจอร์ปกติ



ผ้ามีคุณสมบัติ
คงทนต่อการซีดจางจากแสงได้ดี




ผ้ามีคุณสมบัติพิเศษ
ยับยั้งการเติบโตและฆ่า
เชื้อแบคทีเรีย



ผ้ามีคุณสมบัติกันไฟลาม
ระดับการเผาไหม้ของบุหรี



ผ้ามีคุณสมบัติสะท้อนน้ำ
และน้ำมัน



ผ้ามีชั้นของ TPU, MEMBRANE
เคลือบหลังผ้า
เพื่อป้องกันสิ่งสกปรก
และของเหลวซึมผ่านถึงชั้นในเบา



ผ้านำเข้าประเทศยุโรป

บริษัท นิตาส เทกซ์ไทล์ จำกัด

NITAS
TESSILE

   NitasTessile

www.nitas-tessile.com